SUMMARY OF THE MINERAL LIMESTONE BLOCK TKSB-16 PART A – GENERAL INFORMATION ABOUT MINERALBLOCK

	Features	Details					
1.	Location	N/v Haripura, Tehsil- Kheenvsar & District- Nagaur					
	Mineral Block	TKSB-16 Limestone Block N/v Haripura, Tehsil- Kheenvsar & District- Nagaur					
	Corners point (Latitude &	POINT	Longitude		Latitud	e	
	Longitude)	U4	73° 29' 42.662	22" E	26° 58' 22.	2642" N	
		Ι	73° 29' 51.346	50" E	26° 58' 21.	5436" N	
		T5	73° 29' 51.461	6" E	26° 58' 15.	8588" N	
		T4	73° 29' 42.758	85" E	26° 58' 15.	7659" N	
	Villages	Haripura,					
	Tehsil / Taluka	Kheenvsar					
	District	Nagaur					
	State	Rajasthan					
2.	Area (hectares/square kilometers)	4.4910 Hectare					
	Mineralized Area	4.4910 Hectare					
	Non-mineralized Area	NIL					
3.	Exploration						
	Status (G2/G3/G4 etc.)	G-2					
	Exploration Agency	Department of mines & Geology, Rajasthan					
	Total Number of Boreholes	A total of 03 holes drilled in the study area & influence					
	with meterage	of 03 drill hole was considered for estimating the				U	
		resources. Total meterage of drilling in the 03 borehole is respectively 54, 50 and 50 m.					
	Borehole Spacing (Density)	The boreholes were drilled closely spaced at 400 X				400 X	
		400 m regular grid pattern except some of the b			he bore		
		holes which were shifted due to crops in th					
		agriculture field. The limestone deposit of the area is					
		of regular habit, thus it falls under G-2 (332) category, as per Part III of The Minerals (Evidence of					
		Mineral Contents) R					
4.	Quantity of Minerals (Grade-wise)		, ,				
	Mineral	Limestone					
		Carlad	Nut	XX 74	XX 74	XX 74	
		Grade of Limestone	Net Geological	Wt. Average	Wt. Average	Wt. Average	
			Resources	CaO%	MgO%	SiO ₂ %	
			(In Million				
		Limestone	tons)				
		(CaO					
		>34%,	2.38	47.93	2.79	3.44	
		MgO <5.00% Sio2<16%					
		wt.average					
		%)	<u> </u>				
		Total 2.38 M.T.					

	Total Geological Resources	A total geological resource of TKSB-16 block is 2.38 mT with an average grade of CaO 47.93 % , SiO ₂ 3.44 %, MgO 2.79 %, Fe ₂ O ₃ 0.12 %, Al ₂ O ₃ 0.37 %	
5.	Mineralized Zones		
	Number of Mineral Zones	Two to Three zones identified with a cumulative thickness is ranging from minimum 14.70 mts to maximum 24.47 mts	
	Trend (Dip and Strike)	The nature of limestone deposit is of sedimentary stratiform is trending almost N-S with rolling dip.	
	Total Thickness	cumulative thickness is ranging from minimum 14.70 mts to maximum 24.47 mts	
6.	Accessibility		
	Nearest Rail Head	Nagaur (50 kms)	
	Road	The block is located 100 m South of Tadawas village. The area lies at around 48 kms NE of Nagaur town on Bikaner-Barmer N.H 62. The investigated area is well connected by tar road.	
	Airport	Bikaner 165km	
7.	Hydrography		
	Local Surface Drainage Pattern (Channels)	No perennial river originates or flows from this part of investigated area.	
	Rivers/Streams	Seasonal nallas, ponds etc. are available in the area, which fulfils the water requirement along with recent developed tube wells and dug wells.	
8.	Climate		
	Mean Annual Rainfall	Min. 270 max. 410.0 Avg. 393	
	Temperatures (December)	1°C min.	
	Temperatures (June)	50 °C max. recorded	
9.	Topography		
	Toposheet No.	45F/5	
	Morphology of the area	The area is almost plain with small mounds and knolls. The area shows a plain topography with scanty and scattered outcrops of limestone which are partially concealed under windblown sand and at some places with agriculture farm soil. Most of the limestone exposures are on ground level except some low to moderate high linear isolated mounds.	

PART B – PARTICULARS OF STATUTORY LICENSES, PERMITS, PERMISSIONS, CONCESSIONS, APPROVALS AND CONSENTS RELATED TO MINING OPERATIONS

S.N.	Particulars	Details/Status		
1	Forest Clearance			
2	Wildlife clearance (sanctuary, reserve or special zone clearances)			
3	Environment clearance			
4	Mining Plan Approval			
5	Consent to establish	-		
6	Explosive license			
7	Permission for mining opening			
8	Permission of installation/trial operation of			
	equipment			
9	Ground water clearance (Centre/State)	To be obtained by the successful		
10	Railway siding approval	Bidder		
11	Approval for diesel storage			
12	Power line from State Discom			
13	Clearances relating to work under an existing			
	transmission line or shifting of the transmission			
	line			
14	GramaSabha consent			
15	Any other clearances to start mining operation			

PART C – PARTICULARS OF LAND

	LAND TYPE	Area (in. Hectares)
1.	Total Concession Area	4.4910
2.	Forest Land with status	NIL
3.	Government Land with status	0.0561
4.	Charagah Land with status	NIL
5.	Private Land with status	4.4349
6.	Revenue survey details of the Area	Available