SUMMARY OF THE MINERAL LIMESTONE BLOCK TKSB-17 PART A – GENERAL INFORMATION ABOUT MINERALBLOCK

	Features	Details				
1.	Location	N/v Haripura, Tehsil- Kheenvsar & District- NagaurTKSB-17 Limestone Block N/v Haripura, Tehsil- Kheenvsar & District- Nagaur			ţ -	
	Mineral Block					
	Corners point (Latitude & Longitude)	POIN T	Longitude		Latitude	
		Т	73° 29' 07.905	1" E	26° 58' 15.3	927" N
		T1	73° 29' 16.649	3" E	26° 58' 15.4	866" N
		S1	73° 29' 16.736	1" E	26° 58' 08.9	882" N
		S	73° 29' 08.000	3" E	26° 58' 08.8	944" N
	Villages	Haripura,		I		
	Tehsil / Taluka	Kheenvsar				
	District	Nagaur				
	State	Rajasthan				
2.	Area (hectares/square kilometers)	4.8204 Hectard	e			
	Mineralized Area	4.8204 Hectare				
	Non-mineralized Area	NIL				
3.	Exploration					
	Status (G2/G3/G4 etc.)	G-2				
	Exploration Agency	Department of mines & Geology, Rajasthan				
	Total Number of Boreholes	A total of 03 h	A total of 03 holes drilled in the study area & influence			
	with meterage		of 03 drill hole was considered for estimating the			0
			resources. Total meterage of drilling in the 03 borehol			borehole
	Roroholo Spacing (Donsity)	is respectively 60, 50 and 51 m. The boreholes were drilled closely spaced at 400 X				
	Borehole Spacing (Density)	400 m regular grid pattern except some of the bore				
		holes which were shifted due to crops in the				
		agriculture field. The limestone deposit of the area is				
		of regular habit, thus it falls under G-2 (332)				
		category, as per Part III of The Minerals (Evidence of Mineral Contents) Pulse, 2015				
4.	Quantity of Minerals (Grade-wise)	Mineral Contents) Rules, 2015.		015.		
-1.0	- · · · · ·	Limestane				
	Mineral	Limestone	Limestone			
		Grade of	Net	Wt.	Wt.	Wt.
		Limestone	Geological	Average	Average	Average
			Resources (In	CaO%	MgO%	SiO ₂ %
			Million			
		Limestone	tons)			
		(CaO				
		>34%, MgO <5.00%	1.92	48.96	2.52	2.97
		Sio2<16%				
		wt.average				
		%)			1	<u> </u>
		Total 1.92 M.T.				

	Total Geological Resources	A total geological resource of TKSB-17 block is 1.92 mT with an average grade of CaO 48.96 % , SiO2 2.97 % , MgO 2.52 % , Fe ₂ O3 0.10 % , Al ₂ O3 0.30 %	
5.	Mineralized Zones		
	Number of Mineral Zones	Two to Four zones identified with a cumulative thickness is ranging from minimum 12.50 mts to maximum 28.50 mts	
	Trend (Dip and Strike)	The nature of limestone deposit is of sedimentary stratiform is trending almost N-S with rolling dip.	
	Total Thickness	cumulative thickness is ranging from minimum 12.50 mts to maximum 28.50 mts	
6.	Accessibility		
	Nearest Rail Head	Nagaur (50 kms)	
	Road	The block is located 100 m South of Tadawas village. The area lies at around 48 kms NE of Nagaur town on Bikaner-Barmer N.H 62. The investigated area is well connected by tar road.	
	Airport	Bikaner 165km	
7.	Hydrography		
	Local Surface Drainage Pattern (Channels)	No perennial river originates or flows from this part of investigated area.	
	Rivers/Streams	Seasonal nallas, ponds etc. are available in the area, which fulfils the water requirement along with recent developed tube wells and dug wells.	
8.	Climate		
	Mean Annual Rainfall	Min. 270 max. 410.0 Avg. 393	
	Temperatures (December)	1^{0} C min.	
	Temperatures (June)	50 °C max. recorded	
9.	Topography		
	Toposheet No.	45F/5	
	Morphology of the area	The area is almost plain with small mounds and knolls. The area shows a plain topography with scanty and scattered outcrops of limestone which are partially concealed under windblown sand and at some places with agriculture farm soil. Most of the limestone exposures are on ground level except some low to moderate high linear isolated mounds.	

PART B – PARTICULARS OF STATUTORY LICENSES, PERMITS, PERMISSIONS, CONCESSIONS, APPROVALS AND CONSENTS RELATED TO MINING OPERATIONS

S.N.	Particulars	Details/Status		
1	Forest Clearance			
2	Wildlife clearance (sanctuary, reserve or			
	special zone clearances)			
3	Environment clearance			
4	Mining Plan Approval			
5	Consent to establish]		
6	Explosive license			
7	Permission for mining opening			
8	Permission of installation/trial operation of			
	equipment			
9	Ground water clearance (Centre/State)	To be obtained by the successful		
10	Railway siding approval	Bidder		
11	Approval for diesel storage			
12	Power line from State Discom Clearances relating to work under an existing			
13				
	transmission line or shifting of the transmission			
	line			
14	GramaSabha consent			
15	Any other clearances to start mining operation			

PART C – PARTICULARS OF LAND

	LAND TYPE	Area (in. Hectares)
1.	Total Concession Area	4.8204
2.	Forest Land with status	NIL
3.	Government Land with status	4.7094
4.	Charagah Land with status	NIL
5.	Private Land with status	0.1110
6.	Revenue survey details of the Area	Available