## SUMMARY OF THE MINERAL LIMESTONE BLOCK TKSB-37 PART A – GENERAL INFORMATION ABOUT MINERALBLOCK

	Features	Details						
1.	Location	N/v Haripura Tehsil- Kheenvsar & District- Nagaur						
	Mineral Block	TKSB-37 Limestone Block Kheenvsar & District- Na						
	Corners point (Latitude & Longitude)	POINT	]	Longitude		Latitud	e	
		Q	73°	29' 08.190	6" E 2	26° 57' 55.8	979" N	
		Q1	73°	29' 16.909	7" E 2	26° 57' 55.9	915" N	
		P1		29' 16.996		26° 57' 49.4		
		P	73°	29' 08.285	8" E   2	26° 57' 49.3	997" N	
	Villages	Haripura						
	Tehsil / Taluka	Kheenvsar						
	District	Nagaur						
	State	Rajasthan						
2.	Area (hectares/square kilometers)	4.8068 Hec						
	Mineralized Area	4.8068 Hec	ctare					
	Non-mineralized Area	NIL						
3.	Exploration							
	Status (G2/G3/G4 etc.)	G-2						
	Exploration Agency	Departmen				•		
	Total Number of Boreholes	A total of 02 holes drilled in the study area & influence						
	with meterage		of 02 drill hole was considered for estimating the				_	
		resources. Total meterage of drilling in the 02 borehole is 60 and 50.5 respectively						
	Borehole Spacing (Density)	The boreholes were drilled closely spaced at 400 X						
	Borenote spacing (Bensity)	400 m regular grid pattern except some of the bore						
		holes which were shifted due to crops in the						
		agriculture field. The limestone of regular habit, thus it fall category, as per Part III of The Mineral Contents) Rules, 2015.			•			
				· · ·				
4.	Quantity of Minerals (Grade-wise)		)IIICII	ts) Ruics, 2	.015.			
	Mineral	Limestone	1					
	William	Limestone						
		Grade of	f	Net	Wt.	Wt.	Wt.	
		Limestone	e	Geological Resources	Average CaO%	Average MgO%	Average SiO <sub>2</sub> %	
				(In	CaO 76	MIGO 76	510270	
				Million tons)				
		Limestone	•	vons)				
		(CaO		3 26	40.14	2.25	1.65	
		>34%, MgO <5.0	00%	3.26	49.14	2.27	1.97	
		Sio2<16%	<b>%</b>					
		wt.averag	ge					
		,					1	
		Total	3.26 M.T.					

	Total Geological Resources	A total geological resource of TKSB-37 block is 3.26 mT with an average grade of CaO 49.14 %, SiO <sub>2</sub> 1.97 %, MgO 2.27 %, Fe <sub>2</sub> O <sub>3</sub> 0.09 %, Al <sub>2</sub> O <sub>3</sub> 0.21 %
5.	Mineralized Zones	
	Number of Mineral Zones	One to Two zones identified with a cumulative thickness is ranging from minimum 27.00 mts to maximum 28.50 mts
	Trend (Dip and Strike)	The nature of limestone deposit is of sedimentary stratiform is trending almost N-S with rolling dip.
	Total Thickness	cumulative thickness is ranging from minimum 27.00 mts to maximum 28.50 mts
6.	Accessibility	
	Nearest Rail Head	Nagaur (50 kms)
	Road	The block is located 100 m South of Tadawas village. The area lies at around 48 kms NE of Nagaur town on Bikaner-Barmer N.H 62. The investigated area is well connected by tar road.
	Airport	Bikaner 165km
7.	Hydrography	
	Local Surface Drainage Pattern (Channels)	No perennial river originates or flows from this part of investigated area.
	Rivers/Streams	Seasonal nallas, ponds etc. are available in the area, which fulfils the water requirement along with recent developed tube wells and dug wells.
8.	Climate	
	Mean Annual Rainfall	Min. 270 max. 410.0 Avg. 393
	Temperatures (December)	1°C min.
	Temperatures (June)	50 °C max. recorded
9.	Topography	
	Toposheet No.	45F/5
	Morphology of the area	The area is almost plain with small mounds and knolls. The area shows a plain topography with scanty and scattered outcrops of limestone which are partially concealed under windblown sand and at some places with agriculture farm soil. Most of the limestone exposures are on ground level except some low to moderate high linear isolated mounds.

## PART B – PARTICULARS OF STATUTORY LICENSES, PERMITS, PERMISSIONS, CONCESSIONS, APPROVALS AND CONSENTS RELATED TO MINING OPERATIONS

S.N.	Particulars	Details/Status	
1	Forest Clearance		
2	Wildlife clearance (sanctuary, reserve or		
	special zone clearances)		
3	Environment clearance		
4	Mining Plan Approval		
5	Consent to establish		
6	Explosive license		
7	Permission for mining opening		
8	Permission of installation/trial operation of		
	equipment		
9	Ground water clearance (Centre/State)	To be obtained by the successful	
10	Railway siding approval	Bidder	
11	Approval for diesel storage		
12	Power line from State Discom		
13	Clearances relating to work under an existing		
	transmission line or shifting of the transmission	1	
	line		
14	GramaSabha consent		
15	Any other clearances to start mining operation		

## PART C – PARTICULARS OF LAND

	LAND TYPE	Area (in. Hectares)
1.	Total Concession Area	4.8068
2.	Forest Land with status	NIL
3.	Government Land with status	4.5666
4.	Charagah Land with status	NIL
5.	Private Land with status	0.2402
6.	Revenue survey details of the Area	Available