## SUMMARY OF THE MINERAL LIMESTONE BLOCK TKSB-39 PART A – GENERAL INFORMATION ABOUT MINERALBLOCK

	Features	Details				
1.	Location	N/v Haripura, Khodwa Tehsil- Kho District- Nagaur			eenvsar &	
	Mineral Block	TKSB-39 Limestone Block N/v Haripura, Khodwa Tehsil- Kheenvsar & District- Nagaur				odwa
	Corners point (Latitude &	POINT	Longitude		Latitud	e
	Longitude)	Q2	73° 29' 25.6124	"E 20	5° 57' 56.08	348" N
		Q3	73° 29' 34.3150	)" E 20	5° 57' 56.17	79" N
		P3	73° 29' 34.4016	5" E 20	5° 57' 49.67	'95" N
		P2	73° 29' 25.6990	)" E 20	5° 57' 49.58	864" N
	Villages	Haripura, F	Khodwa			
	Tehsil / Taluka	Kheenvsar				
	District	Nagaur				
	State	Rajasthan	Rajasthan			
2.	Area (hectares/square kilometers)	4.8000 Hectare				
	Mineralized Area	4.8000 Hectare				
	Non-mineralized Area	NIL				
3.	Exploration					
	Status (G2/G3/G4 etc.)	G-2	G-2			
	Exploration Agency	Department of mines & Geology, Rajasthan				
	Total Number of Boreholes	A total of 02 holes drilled in the study area & influence				
	with meterage	of 02 drill hole was considered for estimating th			0	
		resources. Total meterage of drilling in the 0		$\sin the 02$	borenole	
	Borehole Spacing (Density)	is 44m and 50 respectively The boreholes were drilled closely spaced at 400 X			400 X	
	Dorenoie Spacing (Density)		400 m regular grid pattern except some of the bore			
		holes which were shifted due to crops in the				
		agriculture field. The limestone deposit of the area is				
		of regular habit, thus it falls under G-2 (332)				
		category, as per Part III of The Minerals (Evidence of Mineral Contents) Rules, 2015.				
4.	Quantity of Minerals (Grade-wise)	Milleral Contents) Rules, 2015.				
	Mineral	Limestone				
		Limestone				
		Grade of	Net	Wt.	Wt.	Wt.
		Limestone	0	Average	Average	Average
			Resources (In	CaO%	MgO%	SiO <sub>2</sub> %
			Million			
		Limestone	tons)			
		(CaO	4.07			
		>34%, MgO <5.00	4.07	50.66	1.73	1.82
		Sio2<16%				
		wt.averag %)	e			

	Total Geological Resources	A total geological resource of <b>TKSB-39 block</b> is <b>4.07</b> <b>mT</b> with an average grade of <b>CaO 50.66 %</b> , <b>SiO</b> <sub>2</sub> <b>1.82</b> %, <b>MgO 1.73 %</b> , <b>Fe</b> <sub>2</sub> <b>O</b> <sub>3</sub> <b>0.14 %</b> , <b>Al</b> <sub>2</sub> <b>O</b> <sub>3</sub> <b>0.39 %</b>
5.	Mineralized Zones	
	Number of Mineral Zones	One zone identified with a cumulative thickness is ranging from minimum 14.50 mts to maximum 38.00 mts
	Trend (Dip and Strike)	The nature of limestone deposit is of sedimentary stratiform is trending almost N-S with rolling dip.
	Total Thickness	cumulative thickness is ranging from minimum 14.50 mts to maximum 38.00 mts
6.	Accessibility	
	Nearest Rail Head	Nagaur (50 kms)
	Road	The block is located 100 m South of Tadawas village. The area lies at around 48 kms NE of Nagaur town on Bikaner-Barmer N.H 62. The investigated area is well connected by tar road.
	Airport	Bikaner 165km
7.	Hydrography	
	Local Surface Drainage	No perennial river originates or flows from this part of
	Pattern (Channels)	investigated area.
	Rivers/Streams	Seasonal nallas, ponds etc. are available in the area, which fulfils the water requirement along with recent developed tube wells and dug wells.
8.	Climate	
	Mean Annual Rainfall	Min. 270 max. 410.0 Avg. 393
	Temperatures (December)	1 <sup>0</sup> C min.
	Temperatures (June)	50 °C max. recorded
9.	Topography	
	Toposheet No.	45F/5
	Morphology of the area	The area is almost plain with small mounds and knolls. The area shows a plain topography with scanty and scattered outcrops of limestone which are partially concealed under windblown sand and at some places with agriculture farm soil. Most of the limestone exposures are on ground level except some low to moderate high linear isolated mounds.

## PART B – PARTICULARS OF STATUTORY LICENSES, PERMITS, PERMISSIONS, CONCESSIONS, APPROVALS AND CONSENTS RELATED TO MINING OPERATIONS

S.N.	Particulars	Details/Status		
1	Forest Clearance			
2	Wildlife clearance (sanctuary, reserve or			
	special zone clearances)	-		
3	Environment clearance			
4	Mining Plan Approval			
5	Consent to establish			
6	Explosive license			
7	Permission for mining opening			
8	Permission of installation/trial operation of			
	equipment			
9	Ground water clearance (Centre/State)	To be obtained by the successful		
10	Railway siding approval Bidder			
11	Approval for diesel storage			
12	Power line from State Discom			
13	Clearances relating to work under an existing			
	transmission line or shifting of the transmission			
	line			
14	GramaSabha consent			
15	Any other clearances to start mining operation			

## PART C – PARTICULARS OF LAND

	LAND TYPE	Area (in. Hectares)
1.	Total Concession Area	4.8000
2.	Forest Land with status	NIL
3.	Government Land with status	0.9810
4.	Charagah Land with status	NIL
5.	Private Land with status	3.8190
6.	Revenue survey details of the Area	Available