## SUMMARY OF THE MINERAL LIMESTONE BLOCK TKSB-45 PART A – GENERAL INFORMATION ABOUT MINERALBLOCK

	Features	Details					
1.	Location	N/v Haripura, Khodwa Tehsil- Kheenvsar & District- Nagaur					
	Mineral Block	TKSB-45 Limestone Block N/v Haripura, Khodwa Tehsil- Kheenvsar & District- Nagaur					
	Corners point (Latitude & Longitude)	P2	Longitude 73° 29' 16.9965 73° 29' 25.6990 73° 29' 25.7870	)" E 26	Latitud 5° 57' 49.4' 5° 57' 49.5' 5° 57' 42.9'	932" N 864" N	
	Villages	1	73° 29' 17.0840		5° 57' 42.9		
	Tehsil / Taluka	Kheenvsar					
	District	Nagaur					
	State	Rajasthan					
2.	Area (hectares/square kilometers)  Mineralized Area	4.8537 Hectare 4.8537 Hectare					
	Non-mineralized Area	NIL	tare				
2		NIL					
3.	Exploration	G 2					
	Status (G2/G3/G4 etc.)	G-2					
	Exploration Agency Total Number of Boreholes	Department of mines & Geology, Rajasthan  A total of 02 holes drilled in the study area & influence					
	with meterage	of 02 drill hole was considered for estimating the resources. Total meterage of drilling in the 02 borehole					
			is 50.5m, and 50m respectively				
	Borehole Spacing (Density)	The boreholes were drilled closely spaced at 40 400 m regular grid pattern except some of the holes which were shifted due to crops in agriculture field. The limestone deposit of the are of regular habit, thus it falls under G-2 (a category, as per Part III of The Minerals (Evidence Mineral Contents) Rules, 2015.		the bore in the area is 2 (332)			
4.	<b>Quantity of Minerals (Grade-wise)</b>		,				
	Mineral	Limestone					
		Grade of Limestone		Wt. Average CaO%	Wt. Average MgO%	Wt. Average SiO <sub>2</sub> %	
		Limestone (CaO >34%, MgO <5.00 Sio2<16% wt.averag	3.86 9% 6	50.05	2.12	1.64	
		Total	Total 3.86 M.T.				

	Total Geological Resources	A total geological resource of TKSB-45 block is 3.86 mT with an average grade of CaO 50.05 %, SiO <sub>2</sub> 1.64 %, MgO 2.12 %, Fe <sub>2</sub> O <sub>3</sub> 0.08 %, Al <sub>2</sub> O <sub>3</sub> 0.18 %
5.	Mineralized Zones	
	Number of Mineral Zones	One zone identified with a with a cumulative thickness is ranging from minimum 27.00 mts to maximum 38.00 mts.
	Trend (Dip and Strike)	The nature of limestone deposit is of sedimentary stratiform is trending almost N-S with rolling dip.
	Total Thickness	with a cumulative thickness is ranging from minimum 27.00 mts to maximum 38.00 mts.
6.	Accessibility	
	Nearest Rail Head	Nagaur (50 kms)
	Road	The block is located 100 m South of Tadawas village. The area lies at around 48 kms NE of Nagaur town on Bikaner-Barmer N.H 62. The investigated area is well connected by tar road.
	Airport	Bikaner 165km
7.	Hydrography	
	Local Surface Drainage Pattern (Channels)	No perennial river originates or flows from this part of investigated area.
	Rivers/Streams	Seasonal nallas, ponds etc. are available in the area, which fulfils the water requirement along with recent developed tube wells and dug wells.
8.	Climate	
	Mean Annual Rainfall	Min. 270 max. 410.0 Avg. 393
	Temperatures (December)	1°C min.
	Temperatures (June)	50 °C max. recorded
9.	Topography	
	Toposheet No.	45F/5
	Morphology of the area	The area is almost plain with small mounds and knolls. The area shows a plain topography with scanty and scattered outcrops of limestone which are partially concealed under windblown sand and at some places with agriculture farm soil. Most of the limestone exposures are on ground level except some low to moderate high linear isolated mounds.

## PART B – PARTICULARS OF STATUTORY LICENSES, PERMITS, PERMISSIONS, CONCESSIONS, APPROVALS AND CONSENTS RELATED TO MINING OPERATIONS

S.N.	Particulars	Details/Status	
1	Forest Clearance		
2	Wildlife clearance (sanctuary, reserve or	erve or	
	special zone clearances)		
3	Environment clearance		
4	Mining Plan Approval		
5	Consent to establish		
6	Explosive license		
7	Permission for mining opening		
8	Permission of installation/trial operation of		
	equipment		
9	Ground water clearance (Centre/State)	To be obtained by the successful	
10	Railway siding approval	Bidder	
11	Approval for diesel storage		
12	Power line from State Discom		
13	Clearances relating to work under an existing		
	transmission line or shifting of the transmission		
	line		
14	GramaSabha consent		
15	Any other clearances to start mining operation		

## PART C – PARTICULARS OF LAND

	LAND TYPE	Area (in. Hectares)
1.	Total Concession Area	4.8537
2.	Forest Land with status	NIL
3.	Government Land with status	0.1815
4.	Charagah Land with status	NIL
5.	Private Land with status	4.6722
6.	Revenue survey details of the Area	Available