## SUMMARY OF THE MINERAL LIMESTONE BLOCK TKSB-50 PART A – GENERAL INFORMATION ABOUT MINERALBLOCK

	Features	Details						
1.	Location	N/v Khodwa Tehsil- Kheenvsar & District- Nagaur TKSB-50 Limestone Block N/v Khodwa Tehsil- Kheenvsar & District- Nagaur						
	Mineral Block							
	Corners point (Latitude &	POINT	Longitud	e	Latituc	le		
	Longitude)	P6	73° 30' 00.509	92" E 🛛 🖸	26° 57' 49.9	579" N		
		P7	73° 30' 09.21	18" E 🖸	26° 57' 50.0	504" N		
		07	73° 30' 09.370	09" E 🛛	26° 57' 43.2	131" N		
		06	73° 30' 00.599	92" E 🛛 🖸	26° 57' 43.1	687" N		
	Villages	Khodwa						
	Tehsil / Taluka	Kheenvsar						
	District	Nagaur						
	State	Rajasthan						
2.	Area (hectares/square kilometers)	5.0527 Hec	ctare					
	Mineralized Area	5.0527 Hectare						
	Non-mineralized Area	NIL						
3.	Exploration	tion						
	Status (G2/G3/G4 etc.)	G-2						
	Exploration Agency		Department of mines & Geology, Rajasthan					
	Total Number of Boreholes	A total of 02 holes drilled in the study area & influence						
	with meterage	of 02 drill hole was considered for estimating resources. Total meterage of drilling in the 02 bor			U			
		is 50m and 51m respectively.			ing in the 02 porenoie			
	Borehole Spacing (Density)	The boreholes were drilled closely spaced at 400 X			400 X			
		400 m regular grid pattern except some of the bore						
			holes which were shifted due to crops in the					
		agriculture field. The limestone deposit of the area is of regular habit, thus it falls under G-2 (332) category, as per Part III of The Minerals (Evidence of Mineral Contents) Rules, 2015.						
4.	Quantity of Minerals (Grade-wise)							
	Mineral	Limestone						
		Grade of	Net	Wt.	Wt.	Wt.		
		Limeston	e Geological	Average	Average	Average		
			Resources (In	CaO%	MgO%	SiO <sub>2</sub> %		
			Million tons)					
		Limestone	,					
		(CaO >34%,	2.79	49.01	2 10	2.01		
		MgO <5.0	0%	48.21	3.19	2.81		
		Sio2<16%	6					
		wt.averag	;e					
			2.79 M.T.					
		Total						

	Total Geological Resources	A total geological resource of <b>TKSB-50 block</b> is <b>2.79</b> <b>mT</b> with an average grade of <b>CaO 48.21 %</b> , <b>SiO</b> <sub>2</sub> <b>2.81</b> <b>%</b> , <b>MgO 3.19 %</b> , <b>Fe</b> <sub>2</sub> <b>O</b> <sub>3</sub> <b>0.10 %</b> , <b>Al</b> <sub>2</sub> <b>O</b> <sub>3</sub> <b>0.31 %</b>
5.	Mineralized Zones	
	Number of Mineral Zones	three to four zones identified with a cumulative thickness is ranging from minimum 20.85 mts to maximum 22.5 mts
	Trend (Dip and Strike)	The nature of limestone deposit is of sedimentary stratiform is trending almost N-S with rolling dip.
	Total Thickness	cumulative thickness is ranging from minimum 20.85 mts to maximum 22.5 mts
6.	Accessibility	
	Nearest Rail Head	Nagaur (50 kms)
	Road	The block is located 100 m South of Tadawas village. The area lies at around 48 kms NE of Nagaur town on Bikaner-Barmer N.H 62. The investigated area is well connected by tar road.
	Airport	Bikaner 165km
7.	Hydrography	
	Local Surface Drainage	No perennial river originates or flows from this part of
	Pattern (Channels)	investigated area.
	Rivers/Streams	Seasonal nallas, ponds etc. are available in the area, which fulfils the water requirement along with recent developed tube wells and dug wells.
8.	Climate	
	Mean Annual Rainfall	Min. 270 max. 410.0 Avg. 393
	Temperatures (December)	1 <sup>°</sup> C min.
	Temperatures (June)	50 °C max. recorded
9.	Topography	
	Toposheet No.	45F/9
	Morphology of the area	The area is almost plain with small mounds and knolls. The area shows a plain topography with scanty and scattered outcrops of limestone which are partially concealed under windblown sand and at some places with agriculture farm soil. Most of the limestone exposures are on ground level except some low to moderate high linear isolated mounds.

## PART B – PARTICULARS OF STATUTORY LICENSES, PERMITS, PERMISSIONS, CONCESSIONS, APPROVALS AND CONSENTS RELATED TO MINING OPERATIONS

S.N.	Particulars	Details/Status			
1	Forest Clearance				
2	Wildlife clearance (sanctuary, reserve or special zone clearances)				
3	Environment clearance				
4	Mining Plan Approval				
5	Consent to establish				
6	Explosive license				
7	Permission for mining opening				
8	Permission of installation/trial operation of				
	equipment				
9	Ground water clearance (Centre/State)	To be obtained by the successful			
10	Railway siding approval	Bidder			
11	Approval for diesel storage				
12	Power line from State Discom				
13	Clearances relating to work under an existing				
	transmission line or shifting of the transmission line				
14	GramaSabha consent				
15	Any other clearances to start mining operation				

## PART C – PARTICULARS OF LAND

	LAND TYPE	Area (in. Hectares)
1.	Total Concession Area	5.0527
2.	Forest Land with status	NIL
3.	Government Land with status	3.8959
4.	Charagah Land with status	NIL
5.	Private Land with status	1.1568
6.	Revenue survey details of the Area	Available