SUMMARY OF THE MINERAL LIMESTONE BLOCK PSB-10 PART A – GENERAL INFORMATION ABOUT MINERALBLOCK

	Features	Details				
1.	Location	N/v Harima, Tehsil & District- Nagaur				
	Mineral Block	PSB-10 Limestone Block N/v Harima, Tehsil & District- Nagaur (Rajasthan)				
	Corners point (Latitude & Longitude	POINTS	LATITUD	E	LONGIT	UDE
		Q	27°14'54.856	52"	73°52'34.4	4821"
		K	27°15'1.355	3"	73°52'34.4	4168"
		L	27°15'1.425	3"	73°52'43.	1428"
		R	27°14'54.926	51"	73°52'43.2	2080"
	Villages	Harima				
	Tehsil / Taluka	Nagaur				
	District	Nagaur				
	State	Rajasthan				
2.	Area (hectares/square kilometres)	4.8000 Hectare				
	Mineralised Area	4.8000 Hectare				
	Non-mineralised Area	NIL				
3.	Exploration					
	Status (G2/G3/G4 etc.)	G-2				
	Exploration Agency	Department of mines & Geology, Rajasthan				
	Total Number of Boreholes	01 bore holes drilled in the block area & influence of				
	withmeterage	01 adjacent drill hole was considered for estimating the				
		resources. Total meterage of drilling in the 01 borehole			orehole	
		is 30 m.				
	Borehole Spacing (Density)	The boreholes were drilled closely spaced at $400 \ge 400$				
		m regular grid pattern except some of the bore holes				
		which were shifted due to crops in the agriculture field.				
		The limestone depositof the area is of regular habit,				
		thus it falls under G-2 (332) category, as per Part III of				
		The Minerals (Evidence of Mineral Contents) Rules,				
		2015.				
4.	Quantity of Minerals (Grade-wise)					
	Mineral	Limestone				
		Grade of	Net	Wt.	Wt.	Wt.
		Limestone	Geological	Average	Average	Average
			Resources (In	CaO%	MgO%	SiO ₂ %
			Million tons)			
		Limestone				
		(CaO >34%,	2.16	50.15	2.22	3.06
		MgO <5.00%				
		Sio2<16% wt.average				
		<u>%)</u> Total	2.16 M.T.			

	Total Geological Resources	A total geological resource of PSB-10 block is 2.16 mT with an average grade of CaO 50.15%, SiO2 3.06 %, and MgO 2.22%	
5.	Mineralised Zones		
	Number of Mineral Zones	1 to 4 zones from 1.5 to 10.50 mts.	
	Trend (Dip and Strike)	The nature of limestone deposit is of sedimentary stratiform is trending almost N-S with rolling dip.	
	Total Thickness	Cumulative thickness of mineralized zone is 18 mts.	
6.	Accessibility		
	Nearest Rail Head	Nagaur (18 kms)	
	Road	The block is located 1 km South of Harima village. The area lies at around 18 kms NE of Nagaur town on Nagaur-Ladnun N.H 65. The area lies at around 18 kms NE of Nagaur town on Nagaur-Ladnun N.H 65. The investigated area is well connected by tar road.	
	Airport	Nagaur (18 kms)	
7.	Hydrography		
	Local Surface Drainage Pattern (Channels)	No perennial river originates or flows from this part of investigated area.	
	Rivers/Streams	Seasonal nallas, ponds etc. are available in the area, which fulfils the water requirement along with recent developed tube wells and dug wells.	
8.	Climate		
	Mean Annual Rainfall	Min. 270 max. 410.0 Avg. 393	
	Temperatures (December)	1 [°] C min.	
	Temperatures (June)	50 °C max. recorded	
9.	Topography		
	Toposheet No.	45E/15 and 45E/16	
	Morphology of the area	The area is almost plain with small mounds and knolls. The area shows a plain topography with scanty and scattered outcrops of limestone which are partially concealed under windblown sand and at some places with agriculture farm soil. Most of the limestone exposures are on ground level except some low to moderate high linear isolated mounds.	

PART B – PARTICULARS OF STATUTORY LICENSES, PERMITS, PERMISSIONS, CONCESSIONS, APPROVALS AND CONSENTS RELATED TO MINING OPERATIONS

S.N.	Particulars	Details/Status			
1	Forest Clearance				
2	Wildlife clearance (sanctuary, reserve or				
	special zone clearances)	_			
3	Environment clearance				
4	Mining Plan Approval				
5	Consent to establish				
6	Explosive license				
7	Permission for mining opening				
8	Permission of installation/trial operation of				
	equipment				
9	Ground water clearance (Centre/State)	To be obtained by the successful			
10	Railway siding approval	Bidder			
11	Approval for diesel storage				
12	Power line from State Discom				
13	Clearances relating to work under an existing				
	transmission line or shifting of the transmission				
	line				
14	GramaSabha consent				
15	Any other clearances to start mining operation				

PART C – PARTICULARS OF LAND

	LAND TYPE	Area (in. Hectares)
1.	Total Concession Area	4.8000
2.	Forest Land with status	NIL
3.	Government Land with status	NIL
4.	Charagah Land with status	NIL
5.	Private Land with status	4.8000
6.	Revenue survey details of the Area	Available

Note:

- The cadastral Khasra detail of the block verified by concerned Patwari & Tehsildar is enclosed with the report.
- Total area has been calculated based on area falling with in the coordinates but when superimposed on revenue map, slightly it may differ being both on different projections, one is spherical and other is linear.