## SUMMARY OF THE MINERAL LIMESTONE BLOCK PSB-18 PART A – GENERAL INFORMATION ABOUT MINERALBLOCK

	Features	Details					
1.	Location	N/v Khetolaw, Tehsil & District- Nagaur  PSB-18 Limestone Block N/v Khetolaw, Tehsil & District- Nagaur (Rajasthan)					
	Mineral Block						
	Corners point (Latitude & Longitude	POINTS	LATITUD	E	LONGIT	UDE	
		K1	27°14'5.282		73°54'20.9		
			27°14'11.781		73°54'20.8		
		I1	27°14'11.849	98"	73°54'29.	.574"	
		L1	27°14'5.350	6"	73°54'29.0	6374"	
	Villages	Khetolaw					
	Tehsil / Taluka	Nagaur					
	District	Nagaur					
	State	Rajasthan					
2.	Area (hectares/square kilometres)	4.80 Hectare					
	Mineralised Area	4.80 Hectare					
	Non-mineralised Area	NIL					
3.	Exploration						
	Status (G2/G3/G4 etc.)	G-2					
	Exploration Agency	Department of mines & Geology, Rajasthan					
	Total Number of Boreholes withmeterage	A total of 01 bore hole drilled in the study area & influence of 01 drilled hole was considered for estimating the resources on the basis of polygon method of 01 drilled holes which is falling within the block. Depth of the borehole is 50 mts					
	Borehole Spacing (Density)	The boreholes were drilled closely spaced at 400 X 400					
		m regular grid pattern except some of the bore holes					
		which were shifted due to crops in the agriculture field.					
		The limestone depositof the area is of regular habit,					
			`	, .		as per Part III of	
		The Minerals (Evidence of Mineral Contents) Rules, 2015.			) Rules,		
4	O C C C C C C C C C C C C C C C C C C C						
4.	Quantity of Minerals (Grade-wise)						
	Mineral	Limestone					
		Grade of	Net	Wt.	Wt.	Wt.	
		Limestone	Geological Resources	Average CaO%	Average MgO%	Average SiO <sub>2</sub> %	
			(In Million tons)	24070	11150 /0	510270	
		Limestone	tons)				
		(CaO >34%,	3.42	47.4	1.81	1.77	
		MgO <5.00% Sio2<16% wt.average			1.01		
		76) Total					

	Total Geological Resources	A total geological resource of PSB-18 block is 3.42 mT with an average grade of CaO 47.4%, SiO2 1.77 %, and MgO 1.81%		
5.	Mineralised Zones			
	Number of Mineral Zones	1 to 7		
	Trend (Dip and Strike)	The nature of limestone deposit is of sedimentary stratiform is trending almost N-S with rolling dip.		
	Total Thickness	Cumulative thickness of mineralized zone is 28.5 mts.		
6.	Accessibility			
	Nearest Rail Head	Nagaur (18 kms)		
	Road	The block is located 1 km South of Harima village. The area lies at around 18 kms NE of Nagaur town on Nagaur-Ladnun N.H 65. The area lies at around 18 kms NE of Nagaur town on Nagaur-Ladnun N.H 65. The investigated area is well connected by tar road.		
	Airport	Nagaur (18 kms)		
7.	Hydrography			
	Local Surface Drainage Pattern (Channels)	No perennial river originates or flows from this part of investigated area.		
	Rivers/Streams	Seasonal nallas, ponds etc. are available in the area, which fulfils the water requirement along with recent developed tube wells and dug wells.		
8.	Climate			
	Mean Annual Rainfall	Min. 270 max. 410.0 Avg. 393		
	Temperatures (December)	1°C min.		
	Temperatures (June)	50 °C max. recorded		
9.	Topography			
	Toposheet No.	45E/15 and 45E/16		
	Morphology of the area	The area is almost plain with small mounds and knolls. The area shows a plain topography with scanty and scattered outcrops of limestone which are partially concealed under windblown sand and at some places with agriculture farm soil. Most of the limestone exposures are on ground level except some low to moderate high linear isolated mounds.		

## PART B – PARTICULARS OF STATUTORY LICENSES, PERMITS, PERMISSIONS, CONCESSIONS, APPROVALS AND CONSENTS RELATED TO MINING OPERATIONS

S.N.	Particulars	Details/Status	
1	Forest Clearance		
2	Wildlife clearance (sanctuary, reserve or		
	special zone clearances)		
3	Environment clearance		
4	Mining Plan Approval		
5	Consent to establish		
6	Explosive license		
7	Permission for mining opening		
8	Permission of installation/trial operation of		
	equipment		
9	Ground water clearance (Centre/State)	To be obtained by the successful	
10	Railway siding approval	Bidder	
11	Approval for diesel storage		
12	Power line from State Discom		
13	Clearances relating to work under an existing		
	transmission line or shifting of the transmission		
	line		
14	GramaSabha consent		
15	Any other clearances to start mining operation		

## PART C - PARTICULARS OF LAND

	LAND TYPE	Area (in. Hectares)
1.	Total Concession Area	4.80
2.	Forest Land with status	NIL
3.	Government Land with status	NIL
4.	Charagah Land with status	NIL
5.	Private Land with status 4.80	
6.	Revenue survey details of the Area	Available

## Note

- ❖ The variation in the total block area and area calculated by superimposition of block on revenue record can be due to partial Khasras falling in the block and also due to differences of area in digitized settlement sheet and revenue record.
- ❖ The cadastral Khasra detail of the block verified by concerned Patwari &Tehsildar is enclosed with the report.
- ❖ Total area has been calculated based on area falling with in the coordinates but when superimposed on revenue map, slightly it may differ being both on different projections, one is spherical and other is linear.