SUMMARY OF THE MINERAL LIMESTONE BLOCK TKSB-47 PART A – GENERAL INFORMATION ABOUT MINERALBLOCK

	Features	Details					
1.	Location	N/v Khodwa Tehsil- Kheenvsar & District- Nagaur TKSB-47 Limestone Block N/v Khodwa Tehsil- Kheenvsar & District- Nagaur			t-		
	Mineral Block				sil-		
	Corners point (Latitude &	POINT	Longitude		Latitu	de	
	Longitude)	P3 73	° 29' 34.4016	"E 2	6° 57' 49.6	5795" N	
		P4 73	° 29' 43.1041	"E 2	6° 57' 49.7	'725" N	
		O4 73	° 29' 43.1930	"E 2	6° 57' 43.0	0802" N	
	-		° 29' 34.4900		6° 57' 43.0		
	Villages	Khodwa	29 51.1900		0 57 15.0	557 IV	
	Tehsil / Taluka	Kheenvsar					
	District	Nagaur					
	State	Rajasthan					
2.	Area (hectares/square kilometers)	4.9253 Hectare					
	Mineralized Area	4.9253 Hecta					
	Non-mineralized Area	NIL					
3.	Exploration						
	Status (G2/G3/G4 etc.)	G-2	G-2				
	Exploration Agency	Department of mines & Geology, Rajasthan					
	Total Number of Boreholes	A total of 02 holes drilled in the study area & influence					
	with meterage	of 02 drill hole was considered for estimating the					
		resources. Total meterage of drilling in the 02 bor			borehole		
		is 50m and 43.5m respectively.				400 37	
	Borehole Spacing (Density)	The boreholes were drilled closely spaced at 400 X 400 m regular grid pattern except some of the bore holes which were shifted due to crops in the agriculture field. The limestone deposit of the area is					
		of regular habit, thus it falls under G-2 (332)					
		category, as per Part III of The Minerals (Evidence o			dence of		
4		Mineral Contents) Rules, 2015.		2015.			
4.	Quantity of Minerals (Grade-wise)						
	Mineral	Limestone					
		Grade of	Net	Wt.	Wt.	Wt.	
		Limestone	Geological	Average	Average	Average	
			Resources (In	CaO%	MgO%	SiO ₂ %	
			Million				
		Limestone	tons)				
		(CaO					
		>34%, MgO <5.00%	2.75	49.94	2.55	1.88	
		Sio2<16%	U				
		wt.average					
		<u>%</u>)	2.75 M.T.		1	1	
		Total					

	Total Geological Resources	A total geological resource of TKSB-47 block is 2.75 mT with an average grade of CaO 49.94 %, SiO ₂ 1.88 %, MgO 2.55 %, Fe ₂ O ₃ 0.08 %, Al ₂ O ₃ 0.20 %
5.	Mineralized Zones	
	Number of Mineral Zones	one to three zones identified with a cumulative thickness is ranging from minimum 19.05 mts to maximum 38 mts
	Trend (Dip and Strike)	The nature of limestone deposit is of sedimentary stratiform is trending almost N-S with rolling dip.
	Total Thickness	cumulative thickness is ranging from minimum 19.05 mts to maximum 38 mts
6.	Accessibility	
	Nearest Rail Head	Nagaur (50 kms)
	Road	The block is located 100 m South of Tadawas village.
		The area lies at around 48 kms NE of Nagaur town on
		Bikaner-Barmer N.H 62. The investigated area is well
		connected by tar road.
	Airport	Bikaner 165km
7.	Hydrography	
	Local Surface Drainage	No perennial river originates or flows from this part of
	Pattern (Channels)	investigated area.
	Rivers/Streams	Seasonal nallas, ponds etc. are available in the area,
		which fulfils the water requirement along with recent
		developed tube wells and dug wells.
8.	Climate	
	Mean Annual Rainfall	Min. 270 max. 410.0 Avg. 393
	Temperatures (December)	1°C min.
	Temperatures (June)	50 °C max. recorded
9.	Topography	
	Toposheet No.	45F/5
	Morphology of the area	The area is almost plain with small mounds and
		knolls. The area shows a plain topography with scanty
		and scattered outcrops of limestone which are partially
		concealed under windblown sand and at some places
		with agriculture farm soil. Most of the limestone
		exposures are on ground level except some low to
		moderate high linear isolated mounds.

PART B – PARTICULARS OF STATUTORY LICENSES, PERMITS, PERMISSIONS, CONCESSIONS, APPROVALS AND CONSENTS RELATED TO MINING OPERATIONS

S.N.	Particulars	Details/Status			
1	Forest Clearance				
2	Wildlife clearance (sanctuary, reserve or special zone clearances)				
3	Environment clearance				
4	Mining Plan Approval				
5	Consent to establish				
6	Explosive license				
7	Permission for mining opening				
8	Permission of installation/trial operation of				
	equipment				
9	Ground water clearance (Centre/State)	To be obtained by the successful			
10	Railway siding approval	Bidder			
11	Approval for diesel storage				
12	Power line from State Discom				
13	Clearances relating to work under an existing				
	transmission line or shifting of the transmission line				
14	GramaSabha consent]			
15	Any other clearances to start mining operation				

PART C – PARTICULARS OF LAND

	LAND TYPE	Area (in. Hectares)
1.	Total Concession Area	4.9253
2.	Forest Land with status	NIL
3.	Government Land with status	2.0415
4.	Charagah Land with status	NIL
5.	Private Land with status	2.8838
6.	Revenue survey details of the Area	Available