## SUMMARY OF THE MINERAL LIMESTONE BLOCK TKSB-28 PART A – GENERAL INFORMATION ABOUT MINERALBLOCK

	Features	Details					
1.	Location	N/v Haripura, Khodwa Tehsil- Kheenvsar & District- Nagaur TKSB-28 Limestone Block N/v Haripura, Khodwa Tehsil- Kheenvsar & District- Nagaur					
	Mineral Block						
	Corners point (Latitude & Longitude)	POIN T		Longitude		Latitud	e
		S5	73°	29' 51.5479'	'E 26	° 58' 09.36	504" N
		S6	73°	30' 00.2509'	'E 26	° 58' 09.45	531" N
		R6	73°	30' 00.3370'	'E 26	° 58' 02.95	547" N
		R5	73°	29' 51.6342'	'E 26	° 58' 02.86	520" N
	Villages	Haripur	a, Kh	odwa	•		
	Tehsil / Taluka	Kheenvsar					
	District	Nagaur					
	State	Rajasthar	Rajasthan				
2.	Area (hectares/square kilometers)	4.8000 H	lectare	2			
	Mineralized Area	4.8000 Hectare					
	Non-mineralized Area	NIL					
3.	Exploration						
	Status (G2/G3/G4 etc.)	G-2					
	Exploration Agency			nines & Geology, Rajasthan			
	Total Number of Boreholes	A total of 02 holes drilled in the study area & influence of 02 drill hole was considered for estimating the resources. Total meterage of drilling in the 02 borehole is 52.5m and 54m respectively  The boreholes were drilled closely spaced at 400 X 400 m regular grid pattern except some of the bore holes which were shifted due to crops in the agriculture field. The limestone deposit of the area is of regular habit, thus it falls under G-2 (332) category, as per Part III of The Minerals (Evidence of Mineral Contents) Rules, 2015.			•		
	with meterage						
					borenoie		
	Borehole Spacing (Density)				he bore in the area is 2 (332)		
4.	<b>Quantity of Minerals (Grade-wise)</b>						
	Mineral	Limesto	ne				
		Grade Limes		Net Geological Resources (In Million tons)	Wt. Average CaO%	Wt. Average MgO%	Wt. Average SiO <sub>2</sub> %
		Limesto (CaO >34%, MgO < Sio2<1 wt.ave	5.00% 16% rage	2.94	48.92	2.97	2.62

		Total 2.94 M.T.		
	Total Geological Resources	A total geological resource of TKSB-28 block is 2.94 mT with an average grade of CaO 48.92 %, SiO <sub>2</sub> 2.62 %, MgO 2.97 %, Fe <sub>2</sub> O <sub>3</sub> 0.09 %, Al <sub>2</sub> O <sub>3</sub> 0.28 %		
5.	Mineralized Zones			
	Number of Mineral Zones	Three to four zones identified with a cumulative thickness is ranging from minimum 24.47 mts to maximum 24.5 mts  The nature of limestone deposit is of sedimentary stratiform is trending almost N-S with rolling dip.		
	Trend (Dip and Strike)			
	Total Thickness	cumulative thickness is ranging from minimum 24.47 mts to maximum 24.5 mts		
6.	Accessibility			
	Nearest Rail Head	Nagaur (50 kms)		
	Road	The block is located 100 m South of Tadawas village. The area lies at around 48 kms NE of Nagaur town on Bikaner-Barmer N.H 62. The investigated area is well connected by tar road.		
	Airport	Bikaner 165km		
7.	Hydrography			
	Local Surface Drainage Pattern (Channels) Rivers/Streams	No perennial river originates or flows from this part of investigated area.  Seasonal nallas, ponds etc. are available in the area,		
		which fulfils the water requirement along with recent developed tube wells and dug wells.		
8.	Climate			
	Mean Annual Rainfall	Min. 270 max. 410.0 Avg. 393		
	Temperatures (December)	1°C min.		
	Temperatures (June)	50 °C max. recorded		
9.	Topography			
	Toposheet No.	45F/5		
	Morphology of the area	The area is almost plain with small mounds and knolls. The area shows a plain topography with scanty and scattered outcrops of limestone which are partially concealed under windblown sand and at some places with agriculture farm soil. Most of the limestone exposures are on ground level except some low to moderate high linear isolated mounds.		

## PART B – PARTICULARS OF STATUTORY LICENSES, PERMITS, PERMISSIONS, CONCESSIONS, APPROVALS AND CONSENTS RELATED TO MINING OPERATIONS

S.N.	Particulars	Details/Status			
1	Forest Clearance				
2	Wildlife clearance (sanctuary, reserve or				
	special zone clearances)				
3	Environment clearance				
4	Mining Plan Approval				
5	Consent to establish				
6	Explosive license				
7	Permission for mining opening				
8	Permission of installation/trial operation of				
	equipment				
9	Ground water clearance (Centre/State)	To be obtained by the successful			
10	Railway siding approval	Bidder			
11	Approval for diesel storage				
12	Power line from State Discom				
13	Clearances relating to work under an existing				
	transmission line or shifting of the transmission				
	line				
14	GramaSabha consent				
15	Any other clearances to start mining operation				

## PART C – PARTICULARS OF LAND

	LAND TYPE	Area (in. Hectares)
1.	Total Concession Area	4.8000
2.	Forest Land with status	NIL
3.	Government Land with status	3.1623
4.	Charagah Land with status	NIL
5.	Private Land with status	1.6377
6.	Revenue survey details of the Area	Available