SUMMARY OF THE MINERAL LIMESTONE BLOCK TKSB-38 PART A – GENERAL INFORMATION ABOUT MINERALBLOCK

N/v Haripura, Khodwa Tehsil- Kheenvsar & District- Nagaur	1 1		
Corners point (Latitude & Latitude Q1	1 1		
Longitude Q1 73° 29' 16.9097" E 26° 57' 55.9915" N Q2 73° 29' 25.6124" E 26° 57' 56.0848" N P2 73° 29' 25.6990" E 26° 57' 49.5864" N P1 73° 29' 16.9965" E 26° 57' 49.4932" N P1 P1 P1 P1 P1 P1 P1	1		
Q1	1		
P2 73° 29' 25.6990" E 26° 57' 49.5864" No. P1 73° 29' 16.9965" E 26° 57' 49.4932" No. Villages	1		
P1 73° 29' 16.9965" E 26° 57' 49.4932" No. Villages			
Villages Haripura, Khodwa Tehsil / Taluka Kheenvsar District Nagaur State Rajasthan 2. Area (hectares/square kilometers) Mineralized Area 4.8000 Hectare 4.8000 Hectare			
Tehsil / Taluka Kheenvsar District Nagaur State Rajasthan 2. Area (hectares/square kilometers) Mineralized Area 4.8000 Hectare 4.8000 Hectare			
District Nagaur State Rajasthan 2. Area (hectares/square kilometers) 4.8000 Hectare Mineralized Area 4.8000 Hectare			
State Rajasthan 2. Area (hectares/square kilometers) 4.8000 Hectare Mineralized Area 4.8000 Hectare			
2. Area (hectares/square kilometers) 4.8000 Hectare Mineralized Area 4.8000 Hectare			
Mineralized Area 4.8000 Hectare			
Non-mineralized Area NIL			
3. Exploration			
Status (G2/G3/G4 etc.) G-2			
Exploration Agency Department of mines & Geology, Rajasthan			
	A total of 04 holes drilled in the study area & influence		
with meterage of 04 drill hole was considered for estimating resources. Total meterage of drilling in the 04 borel			
is 44m, 60m, 50.50m and 50 respectively	1016		
Borehole Spacing (Density) The boreholes were drilled closely spaced at 400	X		
	400 m regular grid pattern except some of the bore		
•	holes which were shifted due to crops in the		
agriculture field. The limestone deposit of the area			
category, as per Part III of The Minerals (Evidence	of regular habit, thus it falls under G-2 (332)		
Mineral Contents) Rules, 2015.			
4. Quantity of Minerals (Grade-wise)			
Mineral Limestone			
Grade of Net Wt. Wt. Wt. Limestone Geological Average Average Aver			
Resources CaO% MgO% SiOa	_		
(In Million			
tons)			
Limestone (CaO			
> 34%, 3.56 49.89 1.98 1.89	•		
MgO <5.00% Sio2<16%			
wt.average			
%)			
Total 3.56 M.T.			

	Total Geological Resources	A total geological resource of TKSB-38 block is 3.56 mT with an average grade of CaO 49.89 %, SiO2 1.89 %, MgO 1.98 %, Fe ₂ O ₃ 0.11 %, Al ₂ O ₃ 0.29 %
5.	Mineralized Zones	
	Number of Mineral Zones	One to Two zones identified with a cumulative thickness is ranging from minimum 14.50 mts to maximum 38.00 mts
	Trend (Dip and Strike)	The nature of limestone deposit is of sedimentary stratiform is trending almost N-S with rolling dip.
	Total Thickness	cumulative thickness is ranging from minimum 14.50 mts to maximum 38.00 mts
6.	Accessibility	
	Nearest Rail Head	Nagaur (50 kms)
	Road	The block is located 100 m South of Tadawas village. The area lies at around 48 kms NE of Nagaur town on Bikaner-Barmer N.H 62. The investigated area is well connected by tar road.
	Airport	Bikaner 165km
7.	Hydrography	
	Local Surface Drainage	No perennial river originates or flows from this part of
	Pattern (Channels)	investigated area.
	Rivers/Streams	Seasonal nallas, ponds etc. are available in the area, which fulfils the water requirement along with recent developed tube wells and dug wells.
8.	Climate	
	Mean Annual Rainfall	Min. 270 max. 410.0 Avg. 393
	Temperatures (December)	1°C min.
	Temperatures (June)	50 °C max. recorded
9.	Topography	
	Toposheet No.	45F/5
	Morphology of the area	The area is almost plain with small mounds and knolls. The area shows a plain topography with scanty and scattered outcrops of limestone which are partially concealed under windblown sand and at some places with agriculture farm soil. Most of the limestone exposures are on ground level except some low to moderate high linear isolated mounds.

PART B – PARTICULARS OF STATUTORY LICENSES, PERMITS, PERMISSIONS, CONCESSIONS, APPROVALS AND CONSENTS RELATED TO MINING OPERATIONS

S.N.	Particulars	Details/Status
1	Forest Clearance	
2	Wildlife clearance (sanctuary, reserve or	
	special zone clearances)	
3	Environment clearance	
4	Mining Plan Approval	
5	Consent to establish	
6	Explosive license	
7	Permission for mining opening	
8	Permission of installation/trial operation of	
	equipment	
9	Ground water clearance (Centre/State)	To be obtained by the successful
10		
11	Approval for diesel storage	
12	Power line from State Discom	
13	Clearances relating to work under an existing	
	transmission line or shifting of the transmission	
	line	
14	GramaSabha consent	
15	Any other clearances to start mining operation	

PART C - PARTICULARS OF LAND

	LAND TYPE	Area (in. Hectares)
1.	Total Concession Area	4.8000
2.	Forest Land with status	NIL
3.	Government Land with status	2.5045
4.	Charagah Land with status	NIL
5.	Private Land with status	2.2955
6.	Revenue survey details of the Area	Available