#### **OF**

#### NB 01 Limestone Block, Tehsil Jaitaran& District Beawar Tender No.: MSTC/JPR/Directorate of Mines and Geology Rajasthan, Udaipur/125/Udaipur/24-25/9633 [439799]

Sl.	Bidders Queries	Reply
No.	Diducts Queries	Керіу
1	Tender Document for E-Auction of Mining Lease for NB 01 Block Demarcation Report In Demarcation Report the district mentioned as Pali	Block area notified as district Beawar. Earlier this block area was in Pali district.
	whereas in tender document as well as in bock summary the district mentioned as Beawar.  The revised Demarcated report may be provided after correcting district name.  The corrected demarcated report & Land Schedule is	
	required for various statutory clearances.	
2	Tender Document for E-Auction of Mining Lease for NB 01 Block	In Land Schedule of block NB01, land schedule is as under- Khasra numbers, Total area, Area falling in block-
	Demarcation Report (Land Schedule) As per Land Schedule the complete area of Khasra Nos.	539, 1.6349hects., 0.6090hectt. 661, 2.4848hectt., 2.2913hectt.
	661 & 662 (2.4848 Ha & 1.5864 Ha) is less while area	662, 1.5864hectt., 1.3998hectt.
	falling in block is more (2.5612 Ha & 1.7642Ha). The corrected land schedule may be provided.	662/2, 0.8579hectt., 0.6201hectt.
3	Tender Document for E-Auction of Mining Lease for NB 01 Block Topographical/Surface plan is not provided along with	Data available has been provided.
	geological report.  Topographical/Surface plan may be provided  Topographical/Surface plan is required to understand surface features of the block and reserve estimation.	
4	Tender Document for E-Auction of Mining Lease for NB 01 Block Geological Report As per Geological Report the Boreholes drilled in this block at closely space 400mx400m regular grid pattern,	Most of the boreholes were drilled at 400mx400m grid pattern, except some boreholes which were shifted due to crops in agriculture field.

	but as per location of the drilled boreholes the distance between drilled boreholes is more than 400m, hence the	
	block falls under G-3 (333) category in spite of G-2	
	(332) category as per Part III & IV of The Minerals	
	(Evidence of Mineral Contents) Rules, 2015	
	The revised geological report may be provided.  The revised geological report is required for reserve	
	estimation.	
5	Geological Report	Please refer to The Minerals(Other than Atomic & Hydro Carbons Energy Minerals)
3	Block is being auctioned only for limestone	Concession Rules, 2016
	Major portion of the blocks contain dolomitic limestone/	
	dolomite. Will the lease be granted for Dolomitic	
	Limestone/ Dolomite too?	
	Alternating bands of Limestone/ Dolomitic Limestone/	
	Dolomite	
	MoEFCC wants the mineral dolomitic limestone/	
	dolomitic to be included within the lease document only	·
	after which permission for mining and disposal of this	
	mineral can be permitted. Since dolomitic limestone/	
	Dolomite cannot be utilized in cement manufacturing	
	process, this material will have to be dumped separately	
	as reject adding pressure on land and defeating the	
	purpose of 'Zero Waste Mining'. In case these minerals	
	are added in the lease document EC can be obtained for	
	its disposal thus benefiting State Government too with	
	additional royalty.	
6	Geological Report	The Block is free for grant of Mining Lease
	Pre-existing leases	
	Most of the blocks being brought under auction have pre- existing leases which are still under operation.	
	Infrastructure like mines office and weighbridge too exist	
	and in operation. How a successful bidder will be able to	
	operate in these blocks?	
	The State Government should ensure that the previous	
	lessee vacates the land and dismantles all its	
	infrastructure so that no hindrance is created for the new	
	lessee.	
		, Jan Dall Chely
	1 mil	
	( -).	

7	Geological Report	Mining in the Block will be carried out as per The Minerals (Other than Atomic & Hydro
<b>'</b> .	Disposition of Blocks being auctioned	Carbons Energy Minerals) Concession Rules, 2016
	1 1	Caronic Bhergy Himeraid, Concession reales, 2010
	All the blocks are adjoining each other with common	
	boundaries. The extent of the individual blocks is also	
	not much. What measures will the State Government	
	propose to ensure complete utilization of mineral?	
	In case the auctioned blocks are picked up by different	
:	companies then possibility of mineral loss with depth	
	cannot be ruled out.	
8	Geological Report	Mining in the Block will be carried out as per The Minerals (Other than Atomic & Hydro
	No non-mineralized portion within mining lease	Carbons Energy Minerals) Concession Rules, 2016
	With such high occurrence of dolomitic limestone/	
	dolomite within blocks, the entire mineral excavated	
	cannot be used and, in such case, will have to be stored	
	within reject dumps inside the block thus blocking	
	significant land from mining. Will the Government	,
	permit disposal of reject outside the block boundary	·
	The reason for permission to dispose rejects outside the	
	Block boundary owing to smaller block sizes.	
9	Geological Report	Most of the boreholes were drilled at 400mx400m grid pattern, except some
	G2 level exploration	boreholes which were shifted due to crops in agriculture field.
	All the blocks are reported to have undergone G2 level of	
	exploration and that bore holes have been drilled at 400 x	
	400 m grid regular grid interval. However, this does not	
	seem to be the case. How are the blocks referred to be	
	explored under G2 level of exploration?	
	Bore holes have not been drilled in some of the blocks,	
	and a block bears a single borehole. Can this be	
	considered as a regular grid of 400 x 400 m interval?	
	Even when all the bore holes drilled in the 11 blocks are	
	taken together even then the bore holes do not seem to	
	have been drilled on a regular grid.	
10	Geological Report	Block area falls in the influence of boreholes.
	Bore holes logs and analysis	
	Bore hole not drilled in a block, not shown in the map	
	but log sheet and chemical analysis included from	
	neighboring block.	'
	How can the influence be considered?	
		Win Start Collection

1 mil

An Shirt

\* \$

11	Geological Report	Disposition shows poor core recovery, mineralisation is confirmed with lithology and assay
	Core recovery	values.
	Core recovery reported in bore holes is very poor in	
	some of the cases. How reliable is the chemical analysis	
	results considering the poor core recovery?	
	The chemical analysis results are reported for the	
	recovered core which is in the range of 15 to 30 % while	
	the remaining 70% of the core will not find any	
	representation considering the core loss.	
12	Geological Report	CaCO3 and MgCO3 were analysed for samples of two boreholes.
12	Chemical analysis	Cucos and rigoso were analysed for the first services
	While analysis of 6 radicals is provided for some of the	
	bore holes while it is only CaO3 and MgCO3 in couple	
	of others (NB07 and NB08, NB10).	
	Complete chemical analysis of samples to be provided	•
	for all the bore holes drilled in the area.	
13	Geological Report	As per block plan, blocks have been prepared.
	Charagah Land	
	Block NB09 bears small portion of Charagah Land. Why	
	has this land been included in the block? Whereas Block	
	No. NB08 has entire land as Charagah Land only.	
	Considering the boundaries of survey number 108, it	
	could have covered only this survey number instead of	
	extending into charagah land and neighboring survey	
	numbers of 22, 106 and 107.	
14	Geological Report	This enclosed Map is part of toposheet.
	Topographic Map	
	Map enclosed as toposheet map is not legible in any of	
	the blocks. This should be replaced with a legible copy.	
	None of the existing features in the map could be made	
	out.	
		$\Omega$
		$\sim 1.00$

12 Lines Spilos Gr

#### **OF**

#### NB 02 Limestone Block, Tehsil Jaitaran & District Beawar Tender No.: MSTC/JPR/Directorate of Mines and Geology Rajasthan, Udaipur/126/Udaipur/24-25/9634 [439800]

Sl.	Bidders Queries	Reply
No.	212013 &20103	Корзу
1	Tender Document for E-Auction of Mining Lease for NB 02 Block Demarcation Report In Demarcation Report the district mentioned as Pali whereas in tender document as well as in bock summary the district mentioned as Beawar. The revised Demarcated report may be provided after correcting district name. The corrected demarcated report is required for various statutory clearances.	Block area notified as district Beawar. Earlier this block area was in Pali district.
2	Tender Document for E-Auction of Mining Lease for NB 02 Block Topographical/Surface plan. Topographical/Surface plan is not provided along with geological report. Topographical/Surface plan may be provided Topographical/Surface plan is required to understand surface features of the block and reserve estimation.	Data available has been provided.
3	Tender Document for E-Auction of Mining Lease for NB 02 Block Geological Report As per Geological Report the Boreholes drilled in this block at closely spaced 400mx400m regular grid pattern, but as per location of the drilled boreholes no borehole drilled within this block, hence the block falls under G-3 (333) category in spite of G-2 (332) category as per Part III & IV of The Minerals (Evidence of Mineral Contents) Rules, 2015.  The revised geological report may be provided.  The revised geological report is required for reserve estimation.	Most of the boreholes were drilled at 400mx400m grid pattern, except some boreholes which were shifted due to crops in agriculture field.

OF

## NB 03 Limestone Block, Tehsil Jaitaran District Beawar Tender No.: MSTC/JPR/Directorate of Mines and Geology Rajasthan, Udaipur/127/Udaipur/24-25/9635 [439801]

Sl.	Bidders Queries	Reply
No.		
1	Tender Documentfor E-Auctionof Mining Lease	Block area notified as district Beawar. Earlier this block area was in Pali district.
	for NB 03 Block	
	Demarcation Report	
	In Demarcation Report the district mentioned as Pali	
	whereas in tender document as well as in bock summary	
	the district mentioned as Beawar.	
-	The revised Demarcated report may be provided after	
	correcting district name.	•
	The corrected demarcated report & land Schedule is	
	required for various statutory clearances.	
2	Tender Documentfor E-Auctionof Mining Lease	Khasra No. 128 (Magri), Khasra No. 128/2 is Government land. Total government
	for NB 03 Block	land of village Bogasani falling in block is 0.5704 hectares.
	Demarcation Report (Land Schedule)	
	As per Land Schedule of village Bogasani the sum of	
	Govt. Land and Private Land is not matching. As per	
	Land schedule the sum of Govt. land type (Gair. Mum.	
	Magri) is 0.5704 Hectare while on summation it comes	
	as 0.5637 Hectare.	
	Corrected land schedule may be provided.	
3	Tender Documentfor E-Auctionof Mining Lease	Data available has been provided.
	for NB 03 Block	
	Topographical/Surface plan.	
	Topographical/Surface plan is not provided along with	
	geological report.	
	Topographical/Surface plan may be provided	
	Topographical/Surface plan is required to understand	n
	surface features of the block and reserve estimation.	
		1 with a chell

Amel man

Spril)

By

mule Clen

Tender Documentfor E-Auctionof Mining Lease for NB 03 Block

Geological Report

As per Geological Report the Boreholes drilled in this block at closely spaced 400mx400m regular grid pattern, but as per location of the drilled boreholes only one borehole drilled within this block, hence the block falls under G-3 (333) category in spite of G-2 (332) category as per Part III & IV of The Minerals (Evidence of Mineral Contents) Rules, 2015.

The revised geological report may be provided.

The revised geological report is required for reserve estimation.

Most of the boreholes were drilled at 400mx400m grid pattern, except some boreholes which were shifted due to crops in agriculture field.

**OF** 

#### NB 04 Limestone Block, Tehsil Jaitaran & District Beawar Tender No.: MSTC/JPR/Directorate of Mines and Geology Rajasthan, Udaipur/128/Udaipur/24-25/9636 [439802]

Sl.	Bidders Queries	Reply
No.		
1	Tender Documentfor E-Auctionof Mining Lease	Block area notified as district Beawar. Earlier this block area was in Pali district.
	for NB 04 Block	
	Demarcation Report	
	In Demarcation Report the district mentioned as Pali	
	whereas in tender document as well as in bock summary	
	the district mentioned as Beawar.	
	The revised Demarcated report may be provided after	
	correcting district name.	•
	The corrected demarcated report & land Schedule is	
	required for various statutory clearances.	L. L. 1 C.1 .1.1 . C. 'II D ' IZI
2	Tender Documentfor E-Auctionof Mining Lease for NB 04 Block	In Land Schedule of village Bogasani Khasra numbers 128, 128/2, 131, 135, 136,
	Demarcation Report (Land Schedule)	139, 151/1, 156/1, 163, 172 are Government land. Total government land area of village Bogasani falling in block NB04 is 6.1936 hectares.
	As per Land Schedule of village Bogasani the sum of	Village Bogasam faming in block NB04 is 0.1930 nectares.
	Govt. Land and Private Land is not matching. As per	
	Land schedule the sum of Govt. land type (Gair. Mum.	
	Magri, Bera & Bala) is 6.1936 Hectare while on	
	summation it comes as 6.2165 Hectare.	
	Corrected land schedule may be provided.	
3	Tender Documentfor E-Auctionof Mining Lease	Data available has been provided.
	for NB 04 Block	
	Topographical/Surface plan.	
	Topographical/Surface plan is not provided along with	
	geological report.	
	Topographical/Surface plan may be provided	
	Topographical/Surface plan is required to understand	
	surface features of the block and reserve estimation.	
		all collect

Tender Documentfor E-Auctionof Mining Lease for NB 04 Block

Geological Report

As per Geological Report the Boreholes drilled in this block at closely spaced 400mx400m regular grid pattern, but as per location of the drilled boreholes only two boreholes drilled within this block, hence the block falls under G-3 (333) category in spite of G-2 (332) category as per Part III & IV of The Minerals (Evidence of Mineral Contents) Rules, 2015.

The revised geological report may be provided.

Most of the boreholes were drilled at 400mx400m grid pattern, except some boreholes which were shifted due to crops in agriculture field.

The revised geological report is required for reserve estimation.

#### OF

# NB 05 Limestone Block, Tehsil Jaitaran District Beawar Tender No.: MSTC/JPR/Directorate of Mines and Geology Rajasthan, Udaipur/129/Udaipur/24-25/9637 [439803]

Sl.	Bidders Queries	Reply
No.		
1	Tender Documentfor E-Auctionof Mining Lease for NB 05 Block Demarcation Report	Block area notified as district Beawar. Earlier this block area was in Pali district.
	In Demarcation Report the district mentioned as Pali whereas in tender document as well as in bock summary the district mentioned as Beawar.	
	The revised Demarcated report may be provided after correcting district name.	
	The corrected demarcated report is required for various statutory clearances.	•
2	Tender Documentfor E-Auctionof Mining Lease for NB 05 Block	Data available has been provided.
	Topographical/Surface plan.	
	Topographical/Surface plan is not provided along with geological report.	
	Topographical/Surface plan may be provided	
	Topographical/Surface plan is required to understand	
_	surface features of the block and reserve estimation.	
3	Tender Documentfor E-Auctionof Mining Lease for NB 05 Block	Most of the boreholes were drilled at 400mx400m grid pattern, except some boreholes which were shifted due to crops in agriculture field.
	Geological Report	
	As per Geological Report the Boreholes drilled in this	
	block at closely spaced 400mx400m regular grid pattern,	
	but as per location of the drilled boreholes only one	
	borehole drilled within this block, hence the block falls under G-3 (333) category in spite of G-2 (332) category	
	as per Part III & IV of The Minerals (Evidence of	
	Mineral Contents) Rules, 2015.	
	The revised geological report may be provided.	
	The revised geological report is required for reserve	
	estimation.	/ n

jang.

Soul (gri

de ceu

#### **OF**

### NB 06 Limestone Block, Tehsil Jaitaran& District Beawar Tender No.: MSTC/JPR/Directorate of Mines and Geology Rajasthan, Udaipur/130/Udaipur/24-25/9638 [439804]

Sl.	Bidders Queries	Reply
No.		
1	Tender Documentfor E-Auctionof Mining Lease for NB 06 Block Demarcation Report In Demarcation Report the district mentioned as Pali whereas in tender document as well as in bock summary the district mentioned as Beawar. The revised Demarcated report may be provided after correcting district name. The corrected demarcated report is required for various statutory clearances.	Block area notified as district Beawar. Earlier this block area was in Pali district.
2	Tender Documentfor E-Auctionof Mining Lease for NB 06 Block Topographical/Surface plan. Topographical/Surface plan is not provided along with geological report. Topographical/Surface plan may be provided Topographical/Surface plan is required to understand surface features of the block and reserve estimation.	Data available has been provided.
3	Tender Documentfor E-Auctionof Mining Lease for NB 06 Block Geological Report As per Geological Report the Boreholes drilled in this block at closely spaced 400mx400m regular grid pattern, but as per location of the drilled boreholes no borehole drilled within this block, hence the block falls under G-3 (333) category in spite of G-2 (332) category as per Part III & IV of The Minerals (Evidence of Mineral Contents) Rules, 2015.  The revised geological report may be provided. The revised geological report is required for reserve estimation.	Most of the boreholes were drilled at 400mx400m grid pattern, except some boreholes which were shifted due to crops in agriculture field.

OF

#### NB 07 Limestone Block, Tehsil Jaitaran& District Beawar

Tender No.: MSTC/JPR/Directorate	of Mines and	Geology	Raiasthan.	Udaipur/131/Udai	pur/24-25/9639	[439805]

	Tender No.: MSTC/JPR/Directorate of Mines and Geology Rajasthan, Udaipur/131/Udaipur/24-25/9639 [439805]				
Sl.	Bidders Queries	Reply			
No.					
1	Tender Documentfor E-Auctionof Mining Lease	Block area notified as district Beawar. Earlier this block area was in Pali district.			
	for NB 07 Block				
	Demarcation Report				
	In Demarcation Report the district mentioned as Pali				
	whereas in tender document as well as in bock summary	·			
	the district mentioned as Beawar.				
	The revised Demarcated report may be provided after				
	correcting district name.				
	The corrected demarcated report is required for various				
	statutory clearances.				
2	Tender Documentfor E-Auctionof Mining Lease	Data available has been provided.			
·	for NB 07 Block				
	Topographical/Surface plan.				
	Topographical/Surface plan is not provided along with				
	geological report.				
	Topographical/Surface plan may be provided				
	Topographical/Surface plan is required to understand				
	surface features of the block and reserve estimation.				
3	Tender Documentfor E-Auctionof Mining Lease	Most of the boreholes were drilled at 400mx400m grid pattern, except some			
	for NB 07 Block	boreholes which were shifted due to crops in agriculture field.			
	Geological Report				
	As per Geological Report the Boreholes drilled in this				
	block at closely spaced 400mx400m regular grid pattern,				
	but as per location of the drilled boreholes only one				
	borehole drilled within this block, hence the block falls				
	under G-3 (333) category in spite of G-2 (332) category				
	as per Part III & IV of The Minerals (Evidence of				
	Mineral Contents) Rules, 2015.				
	The revised geological report may be provided.				
	The revised geological report is required for reserve	$\int_{\mathcal{C}} $			
L	estimation.	AMP ()			
		C( Anl) Mu Collins			

OF

NB 08 Limestone Block, Tehsil Jaitaran & District Beawar

Tender No.: MSTC/JPR/Directorate of Mines and Geology Rajasthan, Udainur/132/Udainur/24-25/9640 [439806]

Sl.	Bidders Queries	and Geology Rajasthan, Udaipur/132/Udaipur/24-25/9640 [439806]  Reply
No.		
1	Tender Documentfor E-Auctionof Mining Lease for NB 08 Block Demarcation Report In Demarcation Report the district mentioned as Pali whereas in tender document as well as in bock summary the district mentioned as Beawar.	Block area notified as district Beawar. Earlier this block area was in Pali district.
	The revised Demarcated report may be provided after correcting district name.	
	The corrected demarcated report is required for various statutory clearances.	
2	Tender Documentfor E-Auctionof Mining Lease for NB 08 Block Topographical/Surface plan. Topographical/Surface plan is not provided along with geological report. Topographical/Surface plan may be provided Topographical/Surface plan is required to understand	Data available has been provided.
3	surface features of the block and reserve estimation.  Tender Documentfor E-Auctionof Mining Lease for NB 08 Block  Geological Report  As per Geological Report the Boreholes drilled in this block at aleasy spaced 400my 400m regular grid nettern	Most of the boreholes were drilled at 400mx400m grid pattern, except some boreholes which were shifted due to crops in agriculture field.
	block at closely spaced 400mx400m regular grid pattern, but as per location of the drilled boreholes no borehole drilled within this block, hence the block falls under G-3 (333) category in spite of G-2 (332) category as per Part III & IV of The Minerals (Evidence of Mineral Contents) Rules, 2015.  The revised geological report may be provided.  The revised geological report is required for reserve estimation.	
	Lines 1	of Soil mile of eur

OF

#### NB 09 Limestone Block, Tehsil Jaitaran & District Beawar

Tondar No. MSTC/IPP/Directorate of Mines and Geology Rajasthan Udainur/133/Udainur/24-25/9641 [439807]

	Tender No.: MSTC/JPR/Directorate of Mines and Geology Rajasthan, Udaipur/133/Udaipur/24-25/9641 [439807]				
Sl.	Bidders Queries	Reply			
No.					
1	Tender Documentfor E-Auctionof Mining Lease for NB 09 Block Demarcation Report In Demarcation Report the district mentioned as Pali whereas in tender document as well as in bock summary the district mentioned as Beawar. The revised Demarcated report may be provided after correcting district name. The corrected demarcated report is required for various statutory clearances.	Block area notified as district Beawar. Earlier this block area was in Pali district.			
2	Tender Documentfor E-Auctionof Mining Lease for NB 09 Block Topographical/Surface plan. Topographical/Surface plan is not provided along with geological report. Topographical/Surface plan may be provided Topographical/Surface plan is required to understand surface features of the block and reserve estimation.	Data available has been provided.			
3	Tender Documentfor E-Auctionof Mining Lease for NB 09 Block Geological Report As per Geological Report the Boreholes drilled in this block at closely spaced 400mx400m regular grid pattern, but as per location of the drilled boreholes no borehole drilled within this block, hence the block falls under G-3 (333) category in spite of G-2 (332) category as per Part III & IV of The Minerals (Evidence of Mineral Contents) Rules, 2015.  The revised geological report may be provided.  The revised geological report is required for reserve estimation.	Most of the boreholes were drilled at 400mx400m grid pattern, except some boreholes which were shifted due to crops in agriculture field.			

**OF** 

#### NB 10 Limestone Block, Tehsil Jaitaran & District Beawar

Tender No. MSTC/IPP/Directorate of Mines and Geology Rajasthan, IIdainur/134/IIdainur/24-25/9642 [439808]

		ind Geology Rajasthan, Udaipur/134/Udaipur/24-25/9642 [439808]
Sl.	Bidders Queries	Reply
No.		
1	Tender Documentfor E-Auctionof Mining Lease for NB 10 Block Demarcation Report In Demarcation Report the district mentioned as Pali whereas in tender document as well as in bock summary the district mentioned as Beawar. The revised Demarcated report may be provided after correcting district name. The corrected demarcated report is required for various statutory clearances.	Block area notified as district Beawar. Earlier this block area was in Pali district.
2	Tender Documentfor E-Auctionof Mining Lease for NB 10 Block Topographical/Surface plan. Topographical/Surface plan is not provided along with geological report. Topographical/Surface plan may be provided Topographical/Surface plan is required to understand surface features of the block and reserve estimation.	Data available has been provided.
3	Tender Documentfor E-Auctionof Mining Lease for NB 10 Block Geological Report As per Geological Report the Boreholes drilled in this block at closely spaced 400mx400m regular grid pattern, but as per location of the drilled boreholes no borehole drilled within this block, hence the block falls under G-3 (333) category in spite of G-2 (332) category as per Part III & IV of The Minerals (Evidence of Mineral Contents) Rules, 2015.  The revised geological report may be provided. The revised geological report is required for reserve estimation.	Most of the boreholes were drilled at 400mx400m grid pattern, except some boreholes which were shifted due to crops in agriculture field.

**OF** 

NB 11 Limestone Block, Tehsil Jaitaran & District Beawar

MSTC/IPP/Directorate of Mines and Geology Pajasthan, Udainur/135/Udainur/24-25/9643 [439809]

	Tender No.: MSTC/JPR/Directorate of Mines a	and Geology Rajasthan, Udaipur/135/Udaipur/24-25/9643 [439809]
Sl.	Bidders Queries	Reply
No.		
1	Tender Documentfor E-Auctionof Mining Lease for NB 11 Block Demarcation Report In Demarcation Report the district mentioned as Pali whereas in tender document as well as in bock summary the district mentioned as Beawar. The revised Demarcated report may be provided after correcting district name.	Block area notified as district Beawar. Earlier this block area was in Pali district.
	The corrected demarcated report is required for various	
	statutory clearances.	
2	Tender Documentfor E-Auctionof Mining Lease	Data available has been provided.
	for NB 11 Block Topographical/Surface plan. Topographical/Surface plan is not provided along with geological report. Topographical/Surface plan may be provided Topographical/Surface plan is required to understand surface features of the block and reserve estimation.	
3	Tender Documentfor E-Auctionof Mining Lease for NB 11 Block Geological Report As per Geological Report the Boreholes drilled in this block at closely spaced 400mx400m regular grid pattern, but as per location of the drilled boreholes no borehole drilled within this block, hence the block falls under G-3 (333) category in spite of G-2 (332) category as per Part III & IV of The Minerals (Evidence of Mineral Contents) Rules, 2015.  The revised geological report may be provided. The revised geological report is required for reserve estimation.	Most of the boreholes were drilled at 400mx400m grid pattern, except some boreholes which were shifted due to crops in agriculture field.