



राजस्थान राजपत्र
विशेषांक

RAJASTHAN GAZETTE
Extraordinary

साधिकार प्रकाशित

Published by Authority

फाल्गुन 01, मंगलवार, शाके 1945-फरवरी 20, 2024
Phalguna 01 Tuesday, Saka 1945- February 20, 2024

भाग-1(ख)

महत्वपूर्ण सरकारी आज़ार्ये।

Mines and Petroleum (Gr-II) Department

Notification

Jaipur, February 08, 2024

No. F.3(31)Mines/Group-2/2015-Part-5.- In exercise of power conferred under section 10 B (3) of Mines and Mineral (Development and Regulation) Act, 1957 (as amended from time to time), the State Government hereby notify the following limestone blocks for the grant of Mining Lease as per the provisions of the Mineral Auction Rules, 2015 (as amended from time to time).

1-NB 01 n/v Sinla Tehsil Jaitaran District - Beawer, (Raj), Area – 22.4081 Hect.

POINTS	LATITUDE	LONGITUDE
C	26° 19' 36.7104" N	73° 49' 04.9983" E
D	26° 19' 36.8588" N	73° 49' 23.0307" E
E	26° 19' 31.0090" N	73° 49' 23.0898" E
H	26° 19' 21.5244" N	73° 49' 25.7174" E
B	26° 19' 18.0289" N	73° 49' 13.1542" E

2-NB 02 n/v Nimbol, Sinla Tehsil Jaitaran District- Beawer, (Raj), Area – 8.6246 Hect.

POINTS	LATITUDE	LONGITUDE
E	26° 19' 31.0090" N	73° 49' 23.0898" E
N7	26° 19' 31.0960" N	73° 49' 33.7063" E
N8	26° 19' 20.7738" N	73° 49' 31.5877" E
N2	26° 19' 14.8586" N	73° 49' 25.7848" E
H1	26° 19' 15.9553" N	73° 49' 25.7737" E
H	26° 19' 21.5244" N	73° 49' 25.7174" E

3-NB 03 n/v Bogasani, Sinla Tehsil Jaitaran District - Beawer, (Raj), Area – 10.3417 Hect.

POINTS	LATITUDE	LONGITUDE
B	26° 19' 18.0289" N	73° 49' 13.1542" E
Y1	26° 19' 09.3934" N	73° 49' 11.3941" E
Y	26° 19' 08.8131" N	73° 49' 01.3871" E
A	26° 19' 21.1361" N	73° 49' 00.0815" E

4-NB 04 n/v Bogasani, Nimbol, Sinla Tehsil Jaitaran District - Beawer, (Raj), Area – 33.9047 Hect.

POINTS	LATITUDE	LONGITUDE
Y	26° 19' 08.8131" N	73° 49' 01.3871" E
Y1	26° 19' 09.3934" N	73° 49' 11.3941" E
Y2	26° 19' 08.9581" N	73° 49' 18.9666" E
Y3	26° 19' 03.9461" N	73° 49' 22.9721" E
Y4	26° 18' 56.6324" N	73° 49' 15.8394" E
V	26° 18' 47.3975" N	73° 49' 15.9110" E
W	26° 18' 47.2947" N	73° 49' 03.4287" E
X	26° 19' 02.8308" N	73° 48' 57.1517" E

5-NB 05 n/v Bogasani, Nimbol, Tehsil Jaitaran District - Beawer, (Raj), Area – 20.2697 Hect.

POINTS	LATITUDE	LONGITUDE
V	26° 18' 47.3975" N	73° 49' 15.9110" E
Y4	26° 18' 56.6324" N	73° 49' 15.8394" E
Y3	26° 19' 03.9461" N	73° 49' 22.9721" E
Y2	26° 19' 08.9581" N	73° 49' 18.9666" E
H1	26° 19' 15.9553" N	73° 49' 25.7737" E
N2	26° 19' 14.8586" N	73° 49' 25.7848" E
N15	26° 19' 10.2041" N	73° 49' 28.9524" E
I	26° 19' 10.1786" N	73° 49' 25.8320" E
I3	26° 18' 59.9115" N	73° 49' 29.4779" E

N4	26° 18' 58.8782" N	73° 49' 30.7748" E
N5	26° 18' 57.0520" N	73° 49' 28.9833" E
N6	26° 18' 54.4445" N	73° 49' 32.2560" E
P	26° 18' 54.2053" N	73° 49' 31.7962" E
N9	26° 18' 51.9949" N	73° 49' 30.4495" E
R	26° 18' 54.4679" N	73° 49' 26.5261" E
S	26° 18' 50.2165" N	73° 49' 22.9402" E
T	26° 18' 47.4926" N	73° 49' 27.4932" E
U	26° 18' 47.4601" N	73° 49' 23.5300" E

6-NB 06 n/v Nimbol Tehsil Jaitaran District - Beawer, (Raj), Area – 8.5830 Hect.

POINTS	LATITUDE	LONGITUDE
N15	26° 19' 10.2041" N	73° 49' 28.9524" E
I1	26° 19' 10.3237" N	73° 49' 43.5711" E
N11	26° 19' 01.8417" N	73° 49' 35.2223" E
N16	26° 19' 03.5639" N	73° 49' 33.0608" E
I3	26° 18' 59.9115" N	73° 49' 29.4779" E
I	26° 19' 10.1786" N	73° 49' 25.8320" E

7-NB 07 n/v Nimbol Tehsil Jaitaran District - Beawer, (Raj), Area – 14.3246 Hect.

POINTS	LATITUDE	LONGITUDE
I1	26° 19' 10.3237" N	73° 49' 43.5711" E
J	26° 19' 10.3585" N	73° 49' 47.8232" E
K	26° 18' 47.7565" N	73° 49' 48.0502" E
O	26° 18' 52.5565" N	73° 49' 35.6194" E
N3	26° 18' 53.6077" N	73° 49' 33.3062" E
N13	26° 18' 58.4775" N	73° 49' 38.0835" E
N14	26° 18' 58.0470" N	73° 49' 38.6238" E

P1	26° 18' 59.2949" N	73° 49' 41.5849" E
----	--------------------	--------------------

8-NB 08 n/v Nimbol Tehsil Jaitaran District - Beawer, (Raj), Area – 8.4162 Hect.

POINTS	LATITUDE	LONGITUDE
K	26° 18' 47.7565" N	73° 49' 48.0502" E
L	26° 18' 44.6146" N	73° 49' 42.1362" E
M	26° 18' 43.7053" N	73° 49' 29.3741" E
N	26° 18' 47.2661" N	73° 49' 29.3382" E
O	26° 18' 52.5565" N	73° 49' 35.6194" E

9-NB 09 n/v Nimbol Tehsil Jaitaran District - Beawer, (Raj), Area – 4.1793 Hect.

POINTS	LATITUDE	LONGITUDE
T	26° 18' 47.4926" N	73° 49' 27.4932" E
S	26° 18' 50.2165" N	73° 49' 22.9402" E
R	26° 18' 54.4679" N	73° 49' 26.5261" E
N9	26° 18' 51.9949" N	73° 49' 30.4495" E
P	26° 18' 54.2053" N	73° 49' 31.7962" E
N6	26° 18' 54.4445" N	73° 49' 32.2560" E
N3	26° 18' 53.6077" N	73° 49' 33.3062" E
O	26° 18' 52.5565" N	73° 49' 35.6194" E
N	26° 18' 47.2661" N	73° 49' 29.3382" E
N1	26° 18' 47.5077" N	73° 49' 29.3357" E

10-NB10 n/v Nimbol Tehsil Jaitaran District - Beawer, (Raj), Area – 4.0547 Hect.

POINTS	LATITUDE	LONGITUDE
II	26° 19' 10.3237" N	73° 49' 43.5711" E
P1	26° 18' 59.2949" N	73° 49' 41.5849" E
N14	26° 18' 58.0470" N	73° 49' 38.6238" E
N13	26° 18' 58.4775" N	73° 49' 38.0835" E

N12	26° 19' 01.2330" N	73° 49' 34.6251" E
N11	26° 19' 01.8417" N	73° 49' 35.2223" E

11-NB 11 n/v Sinla Tehsil Jaitaran District - Beawer, (Raj), Area – 10.1841 Hect.

POINTS	LATITUDE	LONGITUDE
B	26° 19' 18.0289" N	73° 49' 13.1542" E
H	26° 19' 21.5244" N	73° 49' 25.7174" E
H1	26° 19' 15.9553" N	73° 49' 25.7737" E
Y2	26° 19' 08.9581" N	73° 49' 18.9666" E
Y1	26° 19' 09.3934" N	73° 49' 11.3941" E

By Order of the Governor,
Neetu Barupal,
Joint Secretary to Government.

राज्य केन्द्रीय मुद्रणालय, जयपुर।

SUMMARY OF THE MINERAL LIMESTONE BLOCK NB 07
PART A- GENERAL INFORMATION ABOUT MINERAL BLOCK

Features	Details				
1. Location	N/v Nimbol, Tehsil-Jaitaran, District- Beawar, Rajasthan				
Mineral Block	NB 07 Limestone Block N/v Nimbol, Tehsil-Jaitaran, District- Beawar, Rajasthan				
Corners point (Latitude & Longitude)	POINT	Longitude (DD MM SS. SS)	Latitude (DD MM SS. SS)		
	I1	73° 49' 43.5711" E	26° 19' 10.3237" N		
	J	73° 49' 47.8232" E	26° 19' 10.3585" N		
	K	73° 49' 48.0502" E	26° 18' 47.7565" N		
	O	73° 49' 35.6194" E	26° 18' 52.5565" N		
	N3	73° 49' 33.3062" E	26° 18' 53.6077" N		
	N13	73° 49' 38.0835" E	26° 18' 58.4775" N		
	N14	73° 49' 38.6238" E	26° 18' 58.0470" N		
P1	73° 49' 41.5849" E	26° 18' 59.2949" N			
Village	Nimbol				
Tehsil/ Taluka	Jaitaran				
District	Beawar				
State	Rajasthan				
2. Area (Hectare/square kilometers)	14.3246 Hectare				
Mineralised Area	14.3246 Hectare				
Non-mineralised Area	NIL				
3. Exploration					
Status (G2/G3/G4 etc.)	G-2				
Exploration Agency	Department of mines & Geology, Rajasthan				
Total Number of Boreholes with meterage	A total of 01 boreholes were drilled in the study area, and the influence of 01 drill holes was considered for estimating the resources. The total meterage of drilling in the 01 borehole with 49 m.				
Borehole Spacing (Density)	The boreholes were drilled closely spaced at 400 X 400 m regular grid pattern. The limestone deposit of the area is of regular habit, thus it falls under G-2 (332) category, as per Part III & IV of The Minerals (Evidence of Mineral Contents) Rules, 2015.				
4. Quantity of Minerals (Grade-wise)					
Mineral	Limestone				
	Grade of Limestone	Net Geological Resources (In Million tons)	Wt. Average CaO%	Wt. Average MgO%	Wt. Average SiO₂%
	Limestone (CaO >34%, MgO <5.00% SiO₂<16% wt. average %)	13.25	50.83	1.32	-
	Total	13.25 mT			
Total Geological Resources	Total Geological resources estimated in this NB-07 block is 13.25 mT with an average grade of CaO 50.83 % , MgO 1.32%				
5. Mineralised Zones					
Number of Mineral Zones	Six zones identified with a cumulative thickness of 37.00 m.				

	Trend (Dip and Strike)	General trend of the area is N10°E-S10°W and varying at some places up to N35°E - S35°W with low dips 2°-10°. The beds are often horizontal at very few places dip varies from 15° to 45°.
	Total Thickness	Cumulative thickness of mineralized zones is 37.00 m.
6.	Accessibility	
	Nearest Rail Head	Bilara
	Road	The block is located 3.8 Km SW of Sinla village. It belongs to Ajmer Division. It is located 73 KM towards NW from District headquarters Beawar. The investigated area is well connected by tar road.
	Airport	Jodhpur 95 km (E)
7.	Hydrography	
	Local Surface Drainage Pattern (Channels)	No perennial river originates or flows from this part of investigated area.
	Rivers/Streams	No seasonal river/ nallas etc are available in the block area. State Govt. PHED department and water tanker supply is the main available source of water in the area, which fulfils the water requirement.
8.	Climate	
	Mean Annual Rainfall	Avg. 300 mm
	Temperatures (December)	4°- 5°C min.
	Temperatures (June)	46°- 47°C max. recorded
9.	Topography	
	Toposheet No.	45F/15
	Morphology of the area	

**PART B – PARTICULARS OF STATUTORY LICENSES, PERMITS, PERMISSIONS,
CONCESSIONS, APPROVALS AND CONSENTS RELATED TO MINING
OPERATIONS**

S.N.	Particulars	Details/Status
1	Forest Clearance	To be obtained by the successful Bidder
2	Wildlife clearance (sanctuary, reserve or special zone clearances)	
3	Environment clearance	
4	Mining Plan Approval	
5	Consent to establish	
6	Explosive license	
7	Permission for mining opening	
8	Permission of installation/trial operation of equipment	
9	Ground water clearance (Centre/State)	
10	Railway siding approval	
11	Approval for diesel storage	
12	Power line from State Discom	
13	Clearances relating to work under an existing transmission line or shifting of the transmission line	
14	Grama Sabha consent	
15	Any other clearances to start mining operation	

PART- C PARTICULARS OF LAND

	LAND TYPE	Area (in Hectare)
1.	Total Concession Area	NIL
2.	Forest Land with status	NIL
3.	Government Land with status	0.3213 hectare
4.	Charagah Land with status	7.4556 hectare
5.	Private Land with status	6.5477 hectare
6.	Revenue survey details of the Area	Available
7.	Total	14.3246 hectare